

教員選考調書

| 就任 予定 職名 | 主配置 | 配置 | 最終卒業学校 学部学科名 卒業年月 | 学位 | 著書論文 | 性別 | (ふりがな) 氏名 |
|----------------|---------|----|---------------------------------------|------------------|------------|----|--------------|
| | 専攻 | 専攻 | | | | | |
| | 講座 | 講座 | | | | | |
| 教授 | 理学研究科 | | 大阪大学大学院 基礎工学研究科 物理系専攻博士 後期課程 | 博士(理学) (大阪大学) | 別紙の とおり | 男 | ふせや ゆうき |
| | 物理学専攻 | | | | | | 伏屋 雄紀 |
| | 理論物理学講座 | | | | | | |
| 国籍 日本 | | | | | | | |

| 年 月 | 事 項 |
|----------|-----------------------------------|
| | (学歴) |
| 1995年3月 | 大阪教育大学 教育学部 附属高等学校 天王寺校舎 卒業 |
| 1995年4月 | 大阪大学 基礎工学部 物性物理工学科 入学 |
| 1999年3月 | 同上 卒業 |
| 1999年4月 | 大阪大学 大学院基礎工学研究科 物理系専攻 博士前期課程 入学 |
| 2001年3月 | 同上 修了 |
| 2001年4月 | 大阪大学 大学院基礎工学研究科 物理系専攻 博士後期課程 進学 |
| 2004年3月 | 同上 修了 |
| | (学位) |
| 2001年3月 | 修士(工学)(大阪大学) |
| 2004年3月 | 博士(理学)(大阪大学) |
| | (職歴・研究歴) |
| 2001年4月 | 日本学術振興会 特別研究員(DC1) |
| 2004年4月 | 名古屋大学 大学院理学研究科 博士研究員(科研費) |
| 2006年4月 | 日本学術振興会 特別研究員(PD)(東京大学 大学院理学系研究科) |
| 2009年4月 | 大阪大学 大学院基礎工学研究科 物質創成専攻 助教 |
| 2012年8月 | 電気通信大学 大学院情報理工学研究科 基盤理工学専攻 准教授 |
| 2023年4月 | 電気通信大学 大学院情報理工学研究科 基盤理工学専攻 教授 |
| | ———— 現在に至る ———— |
| | (賞罰) |
| 2005年2月 | 第21回井上研究奨励賞 受賞 |
| 2010年10月 | 大阪大学飛翔研究フェロー 受賞 |
| 2013年12月 | 第8回凝縮系科学賞 受賞 |
| 2015年4月 | 文部科学大臣表彰・若手科学者賞 受賞 |
| 2018年4月 | 電気通信大学学長表彰 受賞 |
| 2022年3月 | JPSJ Outstanding Referee賞 受賞 |
| 2022年11月 | 日本結晶成長学会・論文賞 受賞 |

学術論文（査読有）

- [1] Y. Ye, A. Yamada, Y. Kinoshita, J. Wang, P. Nie, L. Xu, H. Zuo, M. Tokunaga, N. Harrison, R. D. McDonald, A. V. Suslov, A. Ardavan, M.-S. Nam, D. LeBoeuf, C. Proust, B. Fauqué, Y. Fuseya, Z. Zhu, and K. Behnia: High-field immiscibility of electrons belonging to adjacent twinned bismuth crystals, *npj Quantum Mater.* **9**, 12 (2024), 9 pp.
- [2] N. Fukumoto, R. Ohshima, M. Aoki, Y. Fuseya, M. Matsushima, E. Shigematsu, T. Shinjo, Y. Ando, S. Sakamoto, M. Shiga, S. Miwa, and M. Shiraishi: Observation of large spin conversion anisotropy in bismuth, *Proc. Natl. Acad. Sci. USA* **120**, e2215030120 (2023), 8 pp.
- [3] Y. Kinoshita, T. Fujita, R. Kurihara, A. Miyake, Y. Izaki, Y. Fuseya, and M. Tokunaga: Field-induced reentrant insulator state of a gap-closed topological insulator ($\text{Bi}_{1-x}\text{Sb}_x$) in quantum-limit states, *Phys. Rev. B* **107**, 125140 (2023), 9 pp.
- [4] S. Kawamura and Y. Fuseya: Orbital magnetization of three-dimensional Dirac electrons in the quantum limit, *J. Phys.: Condens. Matter* **35**, 225801 (2023), 8 pp.
- [5] Y. Awashima and Y. Fuseya: Negative transverse magnetoresistance due to the negative off-diagonal mass in linear dispersion materials, *J. Phys.: Condens. Matter* **35**, 19LT01 (2023), 8 pp.
- [6] Y. Asaka, T. Kikuchi, and Y. Fuseya: Long-range permeation of wave function and superficial surface state due to strong quantum size effects in topological Bi/BiSb heterojunctions, *Phys. Rev. B* **106**, 245303 (2022), 7 pp.
- [7] T. Terashima, H. T. Hirose, Y. Matsushita, S. Uji, H. Ikeda, Y. Fuseya, T. Wang, and G. Mu: In-plane electronic anisotropy revealed by interlayer resistivity measurements on the iron-based superconductor parent compound CaFeAsF, *Phys. Rev. B* **106**, 184503 (2022), 11 pp.
- [8] A. Yamada and Y. Fuseya: Negative magnetoresistance and sign change of the planar Hall effect due to negative off-diagonal effective mass in Weyl semimetals, *Phys. Rev. B* **105**, 205207 (2022), 6 pp.
- [9] W. Kang, F. Spathelf, B. Fauqué, Y. Fuseya, and K. Behnia: Boundary conductance in macroscopic bismuth crystals, *Nat. Commun.* **13**, 189 (2022), 10 pp.
- [10] C. Collignon, Y. Awashima, Ravi, X. Lin, C. W. Rischau, A. Acheche, B. Vignolle, C. Proust, Y. Fuseya, K. Behnia, and B. Fauqué: Quasi-isotropic orbital magnetoresistance in lightly doped SrTiO_3 , *Phys. Rev. Mater.* **5**, 065002 (2021), 6 pp.
- [11] Y. Fuseya, H. Katsuno, K. Behnia, and A. Kapitulnik: Nanoscale Turing patterns in a bismuth monolayer, *Nat. Phys.* **17**, 1031 (2021), 7 pp.
- [12] A. Yamada and Y. Fuseya: Angular dependence of magnetoresistance and planar Hall effect in semimetals in strong magnetic fields, *Phys. Rev. B* **103**, 125148 (2021), 6 pp.
- [13] H. Hayasaka and Y. Fuseya: Weak anti-localization in spin-orbit coupled lattice systems, *J. Phys.: Condens. Matter* **32**, 16LT01 (2020), 6 pp.
- [14] Y. Mitani and Y. Fuseya: Large longitudinal magnetoresistance of multivalley systems, *J. Phys.: Condens. Matter* **32**, 345802 (2020), 7 pp.
- [15] M. Matsushima, S. Miwa, S. Sakamoto, T. Shinjo, R. Ohshima, Y. Ando, Y. Fuseya, and M. Shiraishi: Sizable spin-transfer torque in the Bi/Ni₈₀Fe₂₀ bilayer film, *Appl. Phys. Lett.* **117**, 042407 (2020), 4 pp.

- [16] Y. Izaki and Y. Fuseya: Nonperturbative Matrix Mechanics Approach to Spin-Split Landau Levels and the g Factor in Spin-Orbit Coupled Solids, *Phys. Rev. Lett.* **123**, 156403 (2019), 5 pp.
- [17] Y. Awashima and Y. Fuseya: Longitudinal and transverse magnetoresistance of SrTiO₃ with a single closed Fermi surface, *J. Phys.: Condens. Matter* **31**, 29LT01 (2019), 7 pp.
- [18] B. Fauqué, X. Yang, W. Tabis, M. Shen, Z. Zhu, C. Proust, Y. Fuseya, and K. Behnia: Magnetoresistance of semimetals: The case of antimony, *Phys. Rev. Mater.* **2**, 114201 (2018), 6 pp.
- [19] Y. Fuseya and H. Fukuyama: Analytical Solutions for the Surface States of Bi_{1-x}Sb_x, *J. Phys. Soc. Jpn.* **87**, 044710 (2018), 10 pp.
- [20] M. Owada, Y. Awashima, and Y. Fuseya: Corrections to the magnetoresistance formula for semimetals with Dirac electrons: the Boltzmann equation approach validated by the Kubo formula, *J. Phys.: Condens. Matter* **30**, 445601 (2018), 11 pp.
- [21] M. Shahbazi, Y. Fuseya, H. Bakrim, A. Sedeki, and C. Bourbonnais: Superconducting and density-wave instabilities of low-dimensional conductors with a Zeeman coupling to a magnetic field, *Phys. Rev. B* **95**, 165111 (2017), 10 pp.
- [22] Z. Zhu, J. Wang, H. Zuo, B. Fauqué, R. D. McDonald, Y. Fuseya, and K. Behnia: Emptying Dirac valleys in bismuth using high magnetic fields, *Nat. Commun.* **8**, 15297 (2017), 7 pp.
- [23] H. Emoto, Y. Ando, G. Eguchi, R. Ohshima, E. Shikoh, Y. Fuseya, T. Shinjo, and M. Shiraishi: Transport and spin conversion of multicarriers in semimetal bismuth, *Phys. Rev. B* **93**, 174428 (2016), 5 pp.
- [24] H. Hayasaka and Y. Fuseya: Crystalline spin-orbit interaction and the Zeeman splitting in Pb_{1-x}Sn_xTe, *J. Phys.: Condens. Matter* **28**, 31LT01 (2016), 5 pp.
- [25] A. Collaudin, B. Fauqué, Y. Fuseya, W. Kang, and K. Behnia: Angle Dependence of the Orbital Magnetoresistance in Bismuth, *Phys. Rev. X* **5**, 021022 (2015), 15 pp.
- [26] Y. Fuseya, Z. Zhu, B. Fauqué, W. Kang, B. Lenoir, and K. Behnia: Origin of the Large Anisotropic g Factor of Holes in Bismuth, *Phys. Rev. Lett.* **115**, 216401 (2015), 5 pp.
- [27] H. Arai, H. Usui, K. Suzuki, Y. Fuseya, and K. Kuroki: Theoretical study of correlation between spin fluctuations and T_c in isovalent-doped 1111 iron-based superconductors, *Phys. Rev. B* **91**, 134511 (2015), 7 pp.
- [28] K. Akiba, A. Miyake, Y. Akahama, K. Matsubayashi, Y. Uwatoko, H. Arai, Y. Fuseya, and M. Tokunaga: Anomalous Quantum Transport Properties in Semimetallic Black Phosphorus, *J. Phys. Soc. Jpn.* **84**, 073708 (2015), 4 pp.
- [29] Y. Fuseya: Multiband k.p theory for holes at the T -point in bismuth, *J. Phys.: Conf. Ser.* **603**, 012003 (2015), 7 pp.
- [30] R. Suemasa and Y. Fuseya: Nontrivial contributions to the magnetoconductivity due to anomalous g-factor in the Luttinger Hamiltonian, *J. Phys.: Conf. Ser.* **603**, 012022 (2015), 6 pp.
- [31] M. Owada and Y. Fuseya: Magnetoconductivity of Dirac electrons in bismuth, *J. Phys.: Conf. Ser.* **603**, 012023 (2015), 6 pp.
- [32] T. Kuraya and Y. Fuseya: Band structure of superconducting Dirac electron systems, *J. Phys.: Conf. Ser.* **603**, 012025 (2015), 5 pp.

- [33] Y. Fuseya, M. Ogata, and H. Fukuyama: Spin-Hall Effect and Diamagnetism of Anisotropic Dirac Electrons in Solids, *J. Phys. Soc. Jpn.* **83**, 074702 (2014), 11 pp.
- [34] H. Emoto, Y. Ando, E. Shikoh, Y. Fuseya, T. Shinjo, and M. Shiraishi: Conversion of pure spin current to charge current in amorphous bismuth, *J. Appl. Phys.* **115**, 17C507 (2014), 3 pp.
- [35] Z. Zhu, B. Fauqué, L. Malone, A. B. Antunes, Y. Fuseya, and K. Behnia: Landau spectrum and twin boundaries of bismuth in the extreme quantum limit, *Proc. Natl. Acad. Sci. USA* **109**, 14813 (2012), 6 pp.
- [36] H. Fukuyama, Y. Fuseya, M. Ogata, A. Kobayashi, and Y. Suzumura: Dirac electrons in solids, *Physica B* **407**, 1943 (2012), 5 pp.
- [37] Y. Fuseya, M. Ogata, and H. Fukuyama: Spin-Polarization in Magneto-Optical Conductivity of Dirac Electrons, *J. Phys. Soc. Jpn.* **81**, 013704 (2012), 4 pp.
- [38] Y. Fuseya, M. Ogata, and H. Fukuyama: Spin-Hall Effect and Diamagnetism of Dirac Electrons, *J. Phys. Soc. Jpn.* **81**, 093704 (2012), 4 pp.
- [39] Y. Fuseya, C. Bourbonnais, and K. Miyake: On the origin of the anomalous upper critical field in quasi-one-dimensional superconductors, *Euro. Phys. Lett.* **100**, 57008 (2012), 7 pp.
- [40] T. Harada, Y. Fuseya, and K. Miyake: Properties of Odd-frequency Superconductivity in Antiferromagnetic Ordered State, *J. Phys. Soc. Jpn.* **81**, SB015 (2012), 4 pp.
- [41] J. Fujimoto, Y. Fuseya, and K. Miyake: Dirac Liquid Theory: Second Order Perturbation Approach, *J. Phys. Soc. Jpn.* **81**, SB042 (2012), 4 pp.
- [42] Z. Zhu, B. Fauqué, Y. Fuseya, and K. Behnia: Angle-resolved Landau spectrum of electrons and holes in bismuth, *Phys. Rev. B* **84**, 115137 (2011), 12 pp.
- [43] H. Kusunose, Y. Fuseya, and K. Miyake: Possible Odd-Frequency Superconductivity in Strong-Coupling Electron–Phonon Systems, *J. Phys. Soc. Jpn.* **80**, 044711 (2011), 6 pp.
- [44] H. Kusunose, Y. Fuseya, and K. Miyake: On the Puzzle of Odd-Frequency Superconductivity, *J. Phys. Soc. Jpn.* **80**, 054702 (2011), 7 pp.
- [45] Y. Fuseya and K. Miyake: On the Meissner Effect of the Odd-Frequency Superconductivity with Critical Spin Fluctuations: Possibility of Zero Field FFLO Pairing, *J. Phys. Soc. Jpn.* **80**, 054705 (2011), 10 pp.
- [46] Y. Fuseya, M. Ogata, and H. Fukuyama: Interband Contributions from the Magnetic Field on Hall Effects for Dirac Electrons in Bismuth, *Phys. Rev. Lett.* **102**, 066601 (2009), 4 pp.
- [47] T. Aonuma, Y. Fuseya, and M. Ogata: Quantum Monte Carlo Study of the Quasi-One-Dimensional Superconductivity, *J. Phys. Soc. Jpn.* **78**, 034722 (2009), 8 pp.
- [48] Y. Fuseya and M. Ogata: Phase Diagram of the Triangular t - J Model with Multiple Spin Exchange in the Doped-Mott Region, *J. Phys. Soc. Jpn.* **78**, 013601 (2009), 4 pp.
- [49] Y. Fuseya, T. Kariyado, and M. Ogata: "Unscreening" Effect of Coulomb Interaction on Fe-Pnictide Superconductor, *J. Phys. Soc. Jpn.* **78**, 023703 (2009), 4 pp.
- [50] Y. Fuseya, M. Ogata, and H. Fukuyama: Hall effect and diamagnetism of bismuth, in Proceedings of the 9th International Symposium on Foundations of Quantum Mechanics in the Light of New

Technology - ISQM-TOKYO'08 edited by S. Ishioka and K. Fujikawa (World Scientific Publishing), p. 174 (2009), 4 pp.

- [51] Y. Fuseya, M. Ogata, and H. Fukuyama: Hall effect and orbital magnetism of Dirac electrons with spin-orbit interactions, *J. Phys. Conf. Ser.* **132**, 012004 (2008), 9 pp.
- [52] Y. Fuseya, M. Tsuchiizu, Y. Suzumura, and C. Bourbonnais: Role of Interchain Hopping in the Magnetic Susceptibility of Quasi-One-Dimensional Electron Systems, *J. Phys. Soc. Jpn.* **76**, 014709 (2007), 17 pp.
- [53] Y. Fuseya and M. Ogata: Increase of Superconducting Correlation due to Dimensionality Change in Quasi-One-Dimensional Conductors, *J. Phys. Soc. Jpn.* **76**, 093701 (2007), 4 pp.
- [54] Y. Fuseya, M. Tsuchiizu, and Y. Suzumura: Role of fluctuations in density wave and superconductivity of quasi-one-dimensional conductors, *J. Magn. Magn. Mater.* **310**, 1128 (2007), 2 pp.
- [55] Y. Fuseya, M. Tsuchiizu, and Y. Suzumura: Magnetic Susceptibility in Normal States of Quasi-One-Dimensional Superconductors, *J. Low Temp. Phys.* **142**, 507 (2006), 4 pp.
- [56] M. Tsuchiizu, Y. Fuseya, Y. Suzumura, and C. Bourbonnais: Dimensionality Effect in Quasi-One-Dimensional Mott Insulators, *J. Low Temp. Phys.* **142**, 651 (2006), 4 pp.
- [57] Y. Fuseya and Y. Suzumura: Superconductivity and Density Wave in the Quasi-One-dimensional Systems: Renormalization Group Study, *J. Phys. Soc. Jpn.* **74**, 1263 (2005), 7 pp.
- [58] Y. Fuseya, H. Kohno, and K. Miyake: Renormalization Group Technique Applied to the Pairing Interaction of the Quasi-One-dimensional Superconductivity, *J. Phys. Soc. Jpn.* **74**, 722 (2005), 9 pp.
- [59] Y. Fuseya, M. Tsuchiizu, Y. Suzumura, and C. Bourbonnais: Effect of Intersite Repulsions on Magnetic Susceptibility of One-Dimensional Electron Systems at Quarter Filling, *J. Phys. Soc. Jpn.* **74**, 3159 (2005), 4 pp.
- [60] Y. Fuseya, H. Kohno, and K. Miyake: Realization of Odd-Frequency p -Wave Spin-Singlet Superconductivity Coexisting with Antiferromagnetic Order near Quantum Critical Point, *J. Phys. Soc. Jpn.* **72**, 2914 (2003), 10 pp.
- [61] Y. Fuseya, H. Kohno, and K. Miyake: New varieties of order parameter symmetry in quasi-one-dimensional superconductors, *Physica B* **329-333**, 1455 (2003), 2 pp.
- [62] Y. Fuseya, Y. Onishi, H. Kohno, and K. Miyake: Unconventional superconductivity with a radial-node gap in quasi-one-dimensional metals, *J. Phys.: Condens. Matter* **14**, L655 (2002), 7 pp.
- [63] Y. Fuseya, Y. Onishi, H. Kohno, and K. Miyake: Novel type of pairing in quasi-one-dimensional superconductivity, *Physica B* **312-313**, 36 (2002), 3 pp.
- [64] Y. Fuseya, H. Maebashi, S. Yotsuhashi, and K. Miyake: Anomalous Fermi Liquid Effects in Two-Dimensional Hubbard Model near Half-Filling, *J. Phys. Soc. Jpn.* **69**, 2158 (2000), 6 pp.
- [65] Y. Fuseya, S. Yotsuhashi, and K. Miyake: Possible existence of zero spin-sound in two-dimensional Hubbard model, *Physica B* **281&282**, 863 (2000), 2 pp.

解説

- [66] Z. Zhu, B. Fauqué, K. Behnia, and Y. Fuseya: Magnetoresistance and valley degree of freedom in bulk bismuth, *J. Phys.: Condens. Matter* **30**, 313001 (2018), 23 pp.
- [67] Y. Fuseya, M. Ogata, and H. Fukuyama: Transport Properties and Diamagnetism of Dirac Electrons in Bismuth, *J. Phys. Soc. Jpn.* **84**, 012001 (2015), 22 pp.
- [68] 伏屋雄紀, 勝野弘康: 単層ビスマスにおける原子サイズのチューリング・パターン, 日本結晶成長学会誌 **50**, 50-2-01 (2023), 9 pp.
- [69] 伏屋雄紀, 勝野弘康: ビスマス, 原子サイズでチューリング・パターンを描く, 日本物理学會誌 **77**, 817 (2022), 6 pp.
- [70] 平原徹, 伏屋雄紀: ビスマスのトポロジカルな性質: 表面・バルク, 実験・理論の立場から, 固体物理 **54**, 425 (2019), 26 pp.
- [71] 伏屋雄紀, 福山秀敏: 久保公式とグリーン関数法の実践的基礎, 固体物理 (その1) **51**, 371 (2016), (その2) **52**, 1 (2017), (その3) **52**, 413 (2017), (その4) **53**, 113 (2018), (その5) **54**, 1 (2019), (その6) **54**, 646 (2019), 117 pp.
- [72] 伏屋雄紀, 小形正男, 福山秀敏: ビスマスにおけるディラック電子の理論, 固体物理 **47**, 193 (2012), 13 pp.
- [73] 伏屋雄紀, 三宅和正: けつたいな超伝導をもとめて, 生産と技術 **63**, 84 (2011), 4 pp.
- [74] 伏屋雄紀: ビスマス研究 温故知新, 物性研究 **90**, 537 (2008), 61 pp.

著書, 編書

- [75] 秋光純, 村上修一, 前田はるか, 伏屋雄紀: 「基礎物理学 電磁気学」 (培風館, 2016)
- [76] M. Ogata, Y. Suzumura, Y. Fuseya, and H. Matsuura (edit): *J. Phys.: Conf. Ser.* **603** (2015)